

Eaton 100L09C

Catalog Number: 100L09C

Fuse-link, low voltage, 100 A, AC 600 V, DC 250 V, HRCII-C, 22 x 127 mm,CSA

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage	100L09C
British standard fuse	UPC
	051712551137
EAN	Product Length/Depth
5027590427753	36 mm
Product Height	Product Width
36 mm	135 mm
Product Weight	Warranty
75 g	Not Applicable
Compliances	
RoHS Compliant	



Electrical rating

Amperage Rating

100 A

Breaking capacity

200 kA

Frequency rating - max

50 Hz

Interrupt rating

200 kAIC

Rated switching capacity

200 kA

Voltage rating

600 V

Voltage type

AC/DC

Physical details

Color

None

Material

Ceramic body

General information

Connection

Blade end

Construction size

Other

Construction type

HRCII-C

Fuse indicator

None

Fuse shape

Center blades

Insulated metal gripping lugs (IMGL)

No

Utilization category

Other

Resources

Catalogs

[100L09C-Eaton Bussmann series low voltage British standard fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

Specifications and datasheets

[Eaton Specification Sheet - 100L09C](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)