

Eaton 15H07C

Catalog Number: 15H07C

Fuse-link, low voltage, 15 A, AC 600 V, DC 250 V, HRCII-C, 14 x 85 mm, CSA

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage	15H07C
British standard fuse	UPC
	051712588942
EAN	Product Length/Depth
5027590435024	87 mm
Product Height	Product Width
30 mm	138 mm
Product Weight	Warranty
17.8 g	Not Applicable
Compliances	
RoHS Compliant	



Electrical rating

Amperage Rating

15 A

Breaking capacity

200 kA

Frequency rating - max

50 Hz

Rated switching capacity

200 kA

Voltage rating

600 V

Voltage type

AC/DC

Physical details

Color

None

General information

Connection

Bolt-on

Construction size

Other

Construction type

HRCII-C

Fuse indicator

None

Fuse shape

Offset bolted tags

Insulated metal gripping lugs (IMGL)

No

Utilization category

Other

Resources

Catalogs

[15H07C~Eaton Bussmann series low voltage British standard fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

Specifications and datasheets

[Eaton Specification Sheet - 15H07C](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)