

Eaton 20KR85

Catalog Number: 20KR85

House service fuse-link, low voltage, 20 A, AC 415 V, BS system C type II, 23 x 57 mm, gL/gG, BS

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage	20KR85
British standard fuse	UPC
	051712797474
EAN	Product Length/Depth
5027590467919	56 mm
Product Height	Product Width
23 mm	23 mm
Product Weight	Warranty
53.45 g	Not Applicable
Compliances	Certifications
RoHS Compliant	BS
CE Marked	IEC 60269



Electrical rating

Amperage Rating

20 A

Breaking capacity

33 kA

Frequency rating - max

62 Hz

Frequency rating - min

45 Hz

Voltage rating

415 V

Voltage type

AC

Physical details

Fuse type

KR85

Material

Ceramic

Packaging type

Standard

General information

Class

Class gG/gL

Connection

Ferrule end x ferrule end

Construction size

23 x 57 mm

Fuse indicator

Other

Fuse shape

Cylindrical

Mounting method

Holder

Release characteristic

Other

Utilization category

gL/gG (cable protection/equipment protection)

Resources

Catalogs

[Bussmann series complete full line catalog no. 1007](#)

Compliance information

[CE KR85, LR85](#)

[UKCA KR85, LR85](#)

Specifications and datasheets

[Eaton Specification Sheet - 20KR85](#)

Technical data sheets



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)