

Eaton 24FDMSJ16

Catalog Number: 24FDMSJ16

Fuse-link, medium voltage, 16 A, AC 24 kV, 2", 51 x 442 mm, full-range, DIN, with striker -24FDMSJ16

General specifications

Product Name	Catalog Number
Eaton Bussmann series medium voltage DIN fuse	24FDMSJ16
	UPC
	051712844338
EAN	Product Length/Depth
5027590468978	442 mm
Product Height	Product Width
53.5 mm	51 mm
Product Weight	Warranty
2200 g	Not Applicable
Compliances	Certifications
DIN 43625	IEC Rated
VDE 0670-4	
IEC 60282-1	



Product specifications

Interrupt rating

35.5 kAIC

Element

Silver

Standard

DIN

Release characteristic

Other

Mounting method

Clip-in

Amperage Rating

16 A

Fuse type

FDMSJ

Rated frequency - min

50 Hz

Fuse size

51 x 442 mm

With striker

Yes

Voltage rating

24 kV

Fuse indicator

With Striker

Rated frequency - max

50 Hz

Performance Cat According To IEC 60282-1

Full-range

Construction size

51 x 442 mm

Utilization category

Other

Watt losses

39 W

Barrels

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

24FDMSJ16~24KV 16Amp 2 DIN Full Range Fuse

Specifications and datasheets

Eaton Specification Sheet - 24FDMSJ16

Technical data sheets

720106 24kV DIN medium voltage fuses

720104 12kV DIN medium voltage fuses

720105 17.5kV DIN medium voltage fuses

1

Resistance

118 Ohms

Type

Fuse

Fuse diameter

51 mm

Used with

270303 Fuse clip

A3354710 Fuse clip

Breaking capacity

35.5 kA

Class

Class full-range

Pre arc (I₂T)

8.2 x 100

Product application

Primary side transformer protection

Application

transformer protection

indoor or outdoor use

Installation technique

Air

Voltage type

AC

Packaging type

Standard