

Eaton AAO32

Catalog Number: AAO32

Fuse-link, LV, 32 A, AC 550 V, BS88/A2, 14 x 85 mm, gL/gG, BS

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage British standard fuse	AAO32
	Model Code
	32A 550V AC BS88 gG FUSE
UPC	EAN
051712838436	5027590420686
Product Length/Depth	Product Height
85 mm	14 mm
Product Width	Product Weight
14 mm	20.1 g
Warranty	Compliances
Not Applicable	RoHS Compliant



Electrical rating

Amperage Rating

32 A

Breaking capacity

80 kA

Interrupt rating

80 kAIC

Rated switching capacity

80 kA

Voltage rating

550 V

Voltage type

AC

Physical details

Color

None

Fuse type

AAO

General information

Class

Class gG/gL

Connection

73 mm fixing centre

Construction size

A2

Fitted with:

Offset bolted tags

Fuse indicator

None

Fuse shape

Offset bolted tags

Fuse size

BS88/A2

Insulated metal gripping lugs (IMGL)

No

Quantity

20

Utilization category

gL/gG (cable protection/equipment protection)

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Compliance information

UKCA AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M

CE AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M

Technical data sheets



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)