



DX80N2X1S-P6-NB

▶ PRODUCTS FOR INDUSTRIAL AUTOMATION



DX80 Perf 2.4GHz Node IP67
Flex Ext Antenna
No battery
Part Number: 800010

CERTIFICATIONS



SPECIFICATIONS

Housing Style	Integrated Battery
Device Type	Node
Input/Output	Serial
Input Details	1 Wire Serial interface
Power Supply	D-Cell Lithium
Environmental Rating (IP)	IP67
Environmental Rating (NEMA)	NEMA 6
Hazardous/Intrinsically Safe Classification	Class I, Division 2/Zone 2; ATEX Zone 2
LCD Display	Yes
Relative Humidity	95%
Point-to-Multipoint Topology	Yes

Point-to-Point Topology	Yes
Star Topology	Yes
Tree Topology	No
Feature: Hazardous Area	Yes
Application: Relative Humidity Input	Yes
Application: Temperature Input	Yes
Application: Ultrasonic	Yes
Application: Vibration Sensor Input	Yes
Application: Tank Level	Yes
EtherNet/IP	No
Modbus RTU	No
Modbus/TCP	No
RS-232	No
RS-485	No
Wireless	Yes
Wireless Radio Frequency	2.4 GHz
1-wire Serial Interface	Yes
Ships With Battery	No



Banner Engineering Corp. | 9714 Tenth Avenue North | Minneapolis, MN 55441 | United States of America

