

Eaton 125NHG01BI-400

Catalog Number: 125NHG01BI-400

Eaton Bussmann series low voltage NH Fuse, 125 A, 400 V, 120 kAIC, 8.8 Watt, Blade end



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	125NHG01BI-400
	Model Code
	NH FUSE 125A 400V GG/GL SIZE 01 IMGL
UPC	EAN
051712233477	5027590430005
Product Length/Depth	Product Height
135 mm	58 mm
Product Width	Product Weight
30 mm	308 g
Warranty	Compliances
Not Applicable	RoHS Compliant CE Marked
Certifications	
IEC 60269-1 IEC 60269-2 DIN 43620	

Product specifications

Interrupt rating

120 kAIC

Insulated metal gripping lugs (IMGL)

Yes

Current type

AC

Suitable for

Microswitch 170H0235

Amperage Rating

125 A

Frequency rating - max

62 Hz

Fuse type

Square body with knife blade contact

Fitted with:

Insulated metal gripping lugs

Rated switching capacity

120 kA

Fuse size

NH01

Rated switching capacity AC

120 kA

Voltage rating

400 V

Fuse indicator

Combination fuse status indicator

Construction

NH01

Construction size

NH01

Rated voltage AC

400 V

Connection

Blade end

Quantity

Resources

Catalogs

NH Fuse links, bases and gear

Bussmann series complete full line catalog no. 1007

Compliance information

CE NH Size 01/1, 400V fuse-links

UKCA NH Size 01/1, 400V fuse-links

Presentations

NH Overview Video

Technical data sheets

720099 NH 400 Volts gG

3

Material

Ceramic body

Utilization category

gL/gG (cable protection/equipment protection)

Watt losses

8.8 W

Type

Fuse

Fuse shape

Square body

Knife blade contacts

Breaking capacity

120 kA

Frequency rating - min

45 Hz

Class

Class gG/gL

Application

industrial

Utilities, Solar, Wind

Voltage type

AC

Packaging type

Standard