

Eaton 15KB60

Catalog Number: 15KB60

Expulsion fuse-link, medium voltage, 60 A, AC 15 kV, 533 mm, ANSI, K fast, style B termination

General specifications



Product Name	Catalog Number
Eaton Bussmann series medium voltage expulsion fuse	15KB60
	UPC
	051712423632
EAN	Product Length/Depth
5027590435314	225 mm
Product Height	Product Width
76 mm	106 mm
Product Weight	Compliances
91.1 g	ANSI C37.42

Type

Medium Voltage Expulsion Fuse Link

Application

Primary side transformer protection, feeder protection, capacitor bank protection

Amperage Rating

60 A

Current characteristic type

Type K - Complies with ANSI C 37-42 requirements for fast acting K Characteristics

Rated frequency - max

60 Hz

Rated frequency - min

50 Hz

Release characteristic

K

Standard

ANSI

Type of termination

Fixed buttonhead

Voltage type

AC

Color

Yellow

Interrupt rating

8 kAIC

Construction size

533 mm

Voltage rating

15 kV

Technical service bulletins

Datasheet - 15KB60



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)