

Eaton 15KB80

Catalog Number: 15KB80

Expulsion fuse-link, medium voltage, 80 A, AC 15 kV, 533 mm, ANSI, K fast, style B termination

General specifications

Product Name	Catalog Number
Eaton Bussmann series medium voltage expulsion fuse	15KB80
	Model Code
	15KV 80A EXPULSION LINK
UPC	EAN
051712423649	5027590435369
Product Length/Depth	Product Height
225 mm	76 mm
Product Width	Product Weight
106 mm	91.1 g
Compliances	
ANSI C37.42	



Type

Medium Voltage Expulsion Fuse Link

Application

Primary side transformer protection, feeder protection, capacitor bank protection

Amperage Rating

80 A

Current characteristic type

Type K - Complies with ANSI C 37-42 requirements for fast acting K Characteristics

Rated frequency - max

60 Hz

Rated frequency - min

50 Hz

Release characteristic

K

Standard

ANSI

Type of termination

Fixed buttonhead

Voltage type

AC

Color

Yellow

Interrupt rating

8 kAIC

Construction size

533 mm

Voltage rating

15 kV

Technical service bulletins

Datasheet - 15KB80



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)