

Eaton 15SRC750

Catalog Number: 15SRC750

Eaton Bussmann series high speed traction fuse, 15 A, 750 V, gR (general purpose semiconductor protection), 45 Hertz-62 Hertz (Min-Max Frequency), gR (general purpose semiconductor protection)



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed traction fuse	15SRC750
	UPC
	051712830997
EAN	Product Length/Depth
5027590435826	75.43 mm
Product Height	Product Width
20.32 mm	20.32 mm
Product Weight	Warranty
100.4 g	Not Applicable
Compliances	
Contact factory	

defaultTaxonomyAttributeLabel

Amperage Rating

15 A

Breaking capacity

0 kA

With striker

No

Voltage type

DC

Utilization category

gR (general purpose semiconductor protection)

Release characteristic

Other

Fuse indicator

Other

Frequency rating - min

45 Hz

Frequency rating - max

62 Hz

Mounting dimension

Other

Current type

DC

Color

None

Construction size

Other

Material

Ceramic

Packaging type

Standard

Voltage rating

750 V

Resources

Catalogs

[IEC high speed fuse links](#)

[15SRC750~15Amp 750V dc TRACTION FUSE](#)

[Bussmann series complete full line catalog no. 1007](#)

Compliance information

[CE Traction fuses and holders](#)

[UKCA Traction fuses and holders](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)