

Eaton 15.5OEFMA20

Catalog Number: 15.5OEFMA20

Oil fuse-link, medium voltage, 20 A, AC 15.5 kV, BS2692 F01, 63.5 x 254 mm, back-up, BS, IEC, ESI, with striker



General specifications

Product Name	Catalog Number
Eaton Bussmann series medium voltage oil fuse	15.5OEFMA20
	UPC
	051712491372
EAN	Product Length/Depth
5027590433822	254 mm
Product Height	Product Width
63.5 mm	63.5 mm
Product Weight	Compliances
1900 g	BS 2692-1
	ESI 12-8
Certifications	
IEC60282-1	
KEMA	

defaultTaxonomyAttributeLabel

Type

fuse

Application

protection of primary side transformer, and oil-filled fuse switch combination unit

Amperage Rating

20 A

Fuse indicator

with striker

Fuse size

254 x 63.5 mm

Breaking capacity

40 kA

Installation technique

Oil

Performance Cat According To IEC 60282-1

Back-up

Product application

Primary side transformer protection

Rated frequency - max

60 Hz

Rated frequency - min

50 Hz

Release characteristic

Other

Standard

British Standard

Utilization category

Other

Voltage type

AC

With striker

Yes

Fuse diameter

63.5 mm

Resources

Technical service bulletins

Datasheet - 15.5OEFMA20

Joule integral (I²T) - max operating

4.9 x 10³

Joule integral (I²T) - min pre-arcing

4.5 x 10¹

Resistance

78.7

Class

Class back-up

Construction type

F01/BS 2692

Fuse shape

Cylindrical

Interrupt rating

40 kAIC

Construction size

63.5 x 254 mm

Voltage rating

15.5 kV

Fuse type

OEFM



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia