

Eaton 170L9219

Catalog Number: 170L9219

Fuse-link, high speed, 630 A, AC 2000 V, Size 3, 74 x 90 x 143 mm, aR, IEC, single indicator



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170L9219
	UPC
	051712805957
EAN	Product Length/Depth
5996516008911	168 mm
Product Height	Product Width
76 mm	95 mm
Product Weight	Certifications
3176 g	IEC 60269-4

Type

Fuse

Application

semiconductor protection

Amperage Rating

630 A

Breaking capacity

100 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

3

Rated voltage AC

2000 V

Center-to-center distance of connections

143 mm

Current type

AC

Mounting dimension

M12

Class

Class aR

Watt losses

200 W

Fuse shape

Square body, flush end contacts

Color

None

Construction size

Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

Packaging type

Standard

Voltage rating

2000 V

Fuse type

Flush end

Fuse system (according to IEC 60269)

IEC 60269-4 flush end connections type A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia