

# Eaton 17.5TDLSJ31.5

Catalog Number: 17.5TDLSJ31.5

Fuse-link, medium voltage, 31.5 A, AC 17.5 kV, 2", 51 x 292 mm, back-up, DIN, with striker

## General specifications



Photo is representative

| Product Name                                     | Catalog Number                 |
|--------------------------------------------------|--------------------------------|
| Eaton Bussmann series medium voltage<br>DIN fuse | 17.5TDLSJ31.5                  |
|                                                  | UPC<br>051712201421            |
| EAN<br>5027590215206                             | Product Length/Depth<br>292 mm |
| Product Height<br>51 mm                          | Product Width<br>51 mm         |
| Product Weight<br>1700 g                         | Warranty<br>Not Applicable     |
| Compliances                                      |                                |
| DIN 43625                                        |                                |
| VDE 0670-4                                       |                                |
| IEC 60282-1                                      |                                |

## Type

Fuse

## Application

transformer protection  
indoor or outdoor use

## Amperage Rating

31.5 A

## Fuse indicator

With Striker

## Fuse size

51 x 292 mm

## Breaking capacity

35.5 kA

## Installation technique

Air

## Performance Cat According To IEC 60282-1

Back-up

## Product application

Primary side transformer protection

## Rated frequency - max

50 Hz

## Rated frequency - min

50 Hz

## Release characteristic

Other

## Standard

DIN

## Utilization category

Other

## Voltage type

AC

## With striker

Yes

## Class

Class back-up

## Catalogs

17.5TDLSJ31.5~Eaton Bussmann series medium voltage DIN fuse

Bussmann series complete full line catalog no. 1007

## Technical data sheets

720105 17.5kV DIN medium voltage fuses

720106 24kV DIN medium voltage fuses

720104 12kV DIN medium voltage fuses

## Barrels

1

## Used with

270303 Fuse clip

A3354710 Fuse clip

## Pre arc (I2T)

5.1 x 100

## Resistance

41.4 Ohms

## Watt losses

58 W

## Fuse diameter

51 mm

## Interrupt rating

35.5 kAIC

## Construction size

51 x 292 mm

## Mounting method

Clip-in

## Packaging type

Standard

## Voltage rating

17.5 kV

## Fuse type

TDLSJ



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia