

# Eaton 20NHG000B-690

Catalog Number: 20NHG000B-690

Eaton Bussmann series low voltage NH Fuse, Live gripping lug, 690V, 20A, 120 kAIC, Combination fuse status indicator, fuse, Blade end connection, Class C gL/gG, Square-body with knife blade contact, Ceramic body

## General specifications

|                                           |                                  |
|-------------------------------------------|----------------------------------|
| Product Name                              | Catalog Number                   |
| Eaton Bussmann series low voltage NH Fuse | 20NHG000B-690                    |
|                                           | Model Code                       |
|                                           | NH FUSE 20A 690V SIZE 000 GG MGL |
| UPC                                       | EAN                              |
| 051712190107                              | 5027590468060                    |
| Product Length/Depth                      | Product Height                   |
| 79 mm                                     | 51 mm                            |
| Product Width                             | Product Weight                   |
| 21 mm                                     | 151.3333333 g                    |
| Warranty                                  | Compliances                      |
| Not Applicable                            | RoHS Compliant                   |
|                                           | CE Marked                        |
| Certifications                            |                                  |
| IEC 60269-1                               |                                  |
| IEC 60269-2                               |                                  |
| DIN 43620                                 |                                  |



## Product specifications

### Interrupt rating

120 kAIC

### Insulated metal gripping lugs (IMGL)

No

### Current type

AC

### Suitable for

Microswitch 170H0236

EBF Vertical fuse rail

EBV Vertical fuse switch-disconnectors

EBH Size 000 Horizontal fuse switch-disconnectors

### Amperage Rating

20 A

### Frequency rating - max

62 Hz

### Fuse type

Square body with knife blade contact

### Fitted with:

Metal gripping lugs

### Rated switching capacity

120 kA

### Fuse size

NH000

### Rated switching capacity AC

120 kA

### Voltage rating

690 V

### Fuse indicator

Combination fuse status indicator

### Special features

Live gripping lug

### Construction

NH000

### Construction size

NH000

## Resources

### Catalogs

NH Fuse links, bases and gear

Bussmann series complete full line catalog no. 1007

### Compliance information

UKCA NH Size 000, 690V fuse-links

CE NH Size 000, 690V fuse-links

### Presentations

NH Overview Video

#### Rated voltage AC

690 V

#### Connection

Blade end

#### Quantity

3

#### Material

Ceramic body

#### Utilization category

gL/gG (cable protection/equipment protection)

#### Watt losses

2.5 W

#### Type

Fuse

#### Fuse shape

Square body

Knife blade contacts

#### Breaking capacity

120 kA

#### Frequency rating - min

45 Hz

#### Class

Class gG/gL

#### Application

industrial

Utilities, Solar, Wind

#### Voltage type

AC

#### Packaging type

Standard



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)