

Eaton 24FFMSJ31.5

Catalog Number: 24FFMSJ31.5

Fuse-link, medium voltage, 31.5 A, AC 24 kV, 3", 76 x 442 mm, full-range, DIN, with striker

General specifications



Product Name	Catalog Number
Eaton Bussmann series medium voltage DIN fuse	24FFMSJ31.5
	UPC
	051712844352
EAN	Product Length/Depth
5027590038126	442 mm
Product Height	Product Width
76 mm	76.2 mm
Product Weight	Warranty
4500 g	Not Applicable
Compliances	
DIN 43625	
VDE 0670-4	
IEC 60282-1	

Type

Fuse

Application

transformer protection
indoor or outdoor use

Amperage Rating

31.5 A

Fuse indicator

With Striker

Fuse size

76 x 442 mm

Breaking capacity

35.5 kA

Installation technique

Air

Performance Cat According To IEC 60282-1

Full-range

Product application

Primary side transformer protection

Rated frequency - max

50 Hz

Rated frequency - min

50 Hz

Release characteristic

Other

Standard

DIN

Utilization category

Other

Voltage type

AC

With striker

Yes

Class

Class full-range

Catalogs

24FFMSJ31.5~Eaton Bussmann series medium voltage DIN fuse

Bussmann series complete full line catalog no. 1007

Technical data sheets

720106 24kV DIN medium voltage fuses

720105 17.5kV DIN medium voltage fuses

720104 12kV DIN medium voltage fuses

Used with

270303 Fuse clip

A3354730 Fuse clip

Pre arc (I₂T)

4.7 x 1000

Resistance

48.8 Ohms

Watt losses

70 W

Fuse diameter

76 mm

Interrupt rating

35.5 kAIC

Construction size

76 x 442 mm

Mounting method

Clip-in

Packaging type

Standard

Voltage rating

24 kV

Fuse type

FFMSJ



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia