

Eaton 50NHG01BI-400

Catalog Number: 50NHG01BI-400

Eaton Bussmann series low voltage NH Fuse, 50 A, 400 V, 120 kAIC, 4.7 Watt, Blade end



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	50NHG01BI-400
	UPC
	051712233439
EAN	Product Length/Depth
5027590483322	135 mm
Product Height	Product Width
58 mm	30 mm
Product Weight	Warranty
295 g	Not Applicable
Compliances	Certifications
RoHS Compliant	IEC 60269-1
CE Marked	IEC 60269-2
	DIN 43620

Product specifications

Interrupt rating

120 kAIC

Insulated metal gripping lugs (IMGL)

Yes

Current type

AC

Suitable for

Microswitch 170H0235

Amperage Rating

50 A

Frequency rating - max

62 Hz

Fuse type

Square body with knife blade contact

Fitted with:

Insulated metal gripping lugs

Rated switching capacity

120 kA

Fuse size

NH01

Rated switching capacity AC

120 kA

Voltage rating

400 V

Fuse indicator

Combination fuse status indicator

Construction

NH01

Construction size

NH01

Rated voltage AC

400 V

Connection

Blade end

Quantity

Resources

Catalogs

NH Fuse links, bases and gear

Bussmann series complete full line catalog no. 1007

Compliance information

CE NH Size 01/1, 400V fuse-links

UKCA NH Size 01/1, 400V fuse-links

Presentations

NH Overview Video

Technical data sheets

720099 NH 400 Volts gG

3

Material

Ceramic body

Utilization category

gL/gG (cable protection/equipment protection)

Watt losses

4.7 W

Type

Fuse

Fuse shape

Square body

Knife blade contacts

Breaking capacity

120 kA

Frequency rating - min

45 Hz

Class

Class gG/gL

Application

industrial

Utilities, Solar, Wind

Voltage type

AC

Packaging type

Standard