

# Eaton 7.2CAV2

Catalog Number: 7.2CAV2

VT fuse-link, medium voltage, 2 A, AC 7.2 kV, 220 x 41.3 mm, back-up, BS, IEC

General specifications



Photo is representative

|                                            |                      |
|--------------------------------------------|----------------------|
| Product Name                               | Catalog Number       |
| Eaton Busmann series medium auxiliary fuse | 7.2CAV2              |
|                                            | UPC                  |
|                                            | 051712837347         |
| EAN                                        | Product Length/Depth |
| 5027590487986                              | 220 mm               |
| Product Height                             | Product Width        |
| 41.3 mm                                    | 41.3 mm              |
| Product Weight                             | Warranty             |
| 700 g                                      | Not Applicable       |
| Certifications                             |                      |
| BS                                         |                      |
| IEC                                        |                      |

## defaultTaxonomyAttributeLabel

### Type

fuse

### Application

Protection of auxiliary transformers

### Amperage Rating

2 A

### Fuse indicator

Non Indicating

### Fuse size

220 x 41.3 mm

### Breaking capacity

40 kA

### Installation technique

Air

### Performance Cat According To IEC 60282-1

Back-up

### Product application

Auxiliary transformer protection

### Rated frequency - max

45 Hz

### Rated frequency - min

62 Hz

### Release characteristic

Other

### Standard

IEC

### Utilization Category

Other

### Voltage type

AC

### With striker

No

### Class

Class back-up

### Barrels

## Resources

### Catalogs

7.2CAV2~Eaton Bussmann series medium auxiliary fuse

Bussmann series complete full line catalog no. 1007

Construction type

Bolt-on

Fuse shape

Cylindrical

Resistance

0.89 ohms

Interrupt rating

40 kAIC

Connection

Ferrule end x ferrule end

Construction size

220 x 41.3 mm

Voltage rating

7.2 kV

Fuse type

CAV



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)