

Eaton 7.2TFLSJ125

Catalog Number: 7.2TFLSJ125

Eaton Bussmann series medium voltage DIN fuse, 125 A, 7.2 kV, 40 kA, 76 x 292 mm, With Striker

General specifications



Photo is representative

Product Name	Catalog Number
Eaton Bussmann series medium voltage DIN fuse	7.2TFLSJ125
	UPC
	051712186018
EAN	Product Length/Depth
5027590488402	292 mm
Product Height	Product Width
76 mm	76 mm
Product Weight	Warranty
3100 g	Not Applicable
Compliances	
DIN 43625	
VDE 0670-4	
IEC 60282-1	

Type

Fuse

Application

transformer protection
indoor or outdoor use

Amperage Rating

125 A

Fuse indicator

With Striker

Fuse size

76 x 292 mm

Breaking capacity

40 kA

Installation technique

Air

Performance Cat According To IEC 60282-1

Back-up

Product application

Primary side transformer protection

Rated frequency - max

50 Hz

Rated frequency - min

50 Hz

Release characteristic

Other

Standard

DIN

Utilization category

Other

Voltage type

AC

With striker

Yes

Class

Class back-up

Catalogs

Bussmann series complete full line catalog no. 1007

7.2TFLSJ125~7-2TFLSJ125~7.2KV 125Amp 3 'J' DIN Fuse

Technical data sheets

720105 17.5kV DIN medium voltage fuses

720106 24kV DIN medium voltage fuses

720103 7.2kV DIN medium voltage fuses

720104 12kV DIN medium voltage fuses

Barrels

1

Used with

270303 Fuse clip

A3354730 Fuse clip

Pre arc (I2T)

1.5 x 10000

Resistance

3.6 Ohms

Watt losses

79 W

Fuse diameter

76 mm

Interrupt rating

40 kAIC

Construction size

76 x 292 mm

Mounting method

Clip-in

Packaging type

Standard

Voltage rating

7.2 kV

Fuse type

TFLSJ



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia