

Eaton 7.2WKMSJ355

Catalog Number: 7.2WKMSJ355

Motor fuse-link, medium voltage, 355 A, AC 7.2 kV, DIN 43625 3", 76 x 442 mm, back-up, DIN, with striker HS

General specifications



Photo is representative

Product Name	Catalog Number
Eaton Bussmann series medium voltage motor fuse	7.2WKMSJ355
	Model Code
	7.2KV 355A 3" MOTORSTART FUSE
UPC	EAN
051712837828	5027590054720
Product Length/Depth	Product Height
442 mm	76 mm
Product Width	Product Weight
76 mm	5200 g
Warranty	Compliances
Not Applicable	VDE 0670-4
	DIN 43625
Certifications	
IEC60282-1	

defaultTaxonomyAttributeLabel

Type

fuse

Application

Motor protection

Amperage Rating

355 A

Fuse indicator

Non Indicating

Fuse size

76 x 442 mm

Breaking capacity

63 A

Installation technique

Air

Performance Cat According To IEC 60282-1

Back-up

Product application

Motor protection

Rated frequency - max

50 Hz

Rated frequency - min

50 Hz

Release characteristic

Other

Standard

DIN

Utilization category

Other

Voltage type

AC

With striker

Yes

Class

Class back-up

Barrels

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

7.2WKMSJ355~7-2WKMSJ355~7.2KV 355Amp 3 MOTORSTART FUSE

1

Fuse shape

Cylindrical

Used with

A3354730 Nickel-plated copper fuse clip

Watt losses

125 W

Resistance

0.72 ohms

Fuse diameter

76 mm

Interrupt rating

63 kAIC

Construction size

76 x 442 mm

Packaging type

Standard

Voltage rating

7.2 kV

Fuse type

WKMSJ



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia