

Eaton 170E3933

Catalog Number: 170E3933

Fuse-link, high speed, 100 A, DC 4000 V, compact size 1, 57 x 70 x 414 mm, aR, IEC, with indicator

General specifications



Product Name	Catalog Number
Eaton Bussmann series high speed traction fuse	170E3933
	UPC
	051712209519
EAN	Product Length/Depth
5996516006566	414 mm
Product Height	Product Width
70 mm	57 mm
Product Weight	Compliances
1551 g	EAC
Certifications	
IEC	

defaultTaxonomyAttributeLabel

Type

Fuse

Application

traction

Amperage Rating

100 A

Accessories

170H3036 Type K indicator

Breaking capacity

60 A

Voltage type

DC

Utilization category

aR (accompanied semiconductor protection)

Fuse indicator

Top fuse status indicator

Fuse size

1*

Class

Class aR

Watt losses

114 W

Fuse shape

Square body, offset bolted tags

Mounting dimension

M8

Center-to-center distance of connections

395 mm

Current type

DC

Rated voltage DC

4000 V

Color

None

Interrupt rating

Resources

Catalogs

Traction fuse-links

60 kAIC

Construction size

Other

Packaging type

Standard

Voltage rating

4000 V

Fitted with:

Single slot tags

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia