

Eaton 170E8882

Catalog Number: 170E8882

Fuse-link, high speed, 160 A, DC 4000 V, size 2, 75 x 86 x 414 mm, aR, IEC, with indicator

General specifications



Photo is representative

Product Name	Catalog Number
Eaton Bussmann series high speed traction fuse	170E8882
	UPC
	051712534345
EAN	Product Length/Depth
5996516001974	414 mm
Product Height	Product Width
86 mm	75 mm
Product Weight	Compliances
2.8 kg	EAC
Certifications	
IEC	

defaultTaxonomyAttributeLabel

Type

Fuse

Application

traction

Amperage Rating

160 A

Accessories

170H3036 Type K indicator

Breaking capacity

60 kA

Voltage type

DC

Utilization category

aR (accompanied semiconductor protection)

Fuse indicator

Top fuse status indicator

Fuse size

2

Class

Class aR

Watt losses

182 W

Fuse shape

Square body, offset bolted tags

Mounting dimension

M8

Center-to-center distance of connections

393 mm

Current type

DC

Rated voltage DC

4000 V

Color

None

Interrupt rating

Resources

Catalogs

Traction fuse-links

60 kAIC

Construction size

2

Packaging type

Standard

Voltage rating

4000 V

Fitted with:

Double slot tags

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia