

Eaton 170E9685

Catalog Number: 170E9685

Fuse-link, high speed, 500 A, DC 750 V, size 3, gR, IEC, with indicator, 170 mm centres

General specifications



Photo is representative

Product Name	Catalog Number
Eaton Bussmann series high speed traction fuse	170E9685
	UPC
	051712214711
EAN	Product Length/Depth
5996516007563	131 mm
Product Height	Product Width
90 mm	74 mm
Product Weight	Compliances
1051 g	CE
	RoHS Compliant
	EAC
Certifications	
IEC 60269-4	

defaultTaxonomyAttributeLabel

Type

Fuse

Application

traction

Amperage Rating

500 A

Breaking capacity

100 kA

Voltage type

DC

Utilization category

gR (general purpose semiconductor protection)

Insulated metal gripping lugs (IMGL)

No

Fuse indicator

Other

Class

Class gR

Watt losses

93 W

Fuse shape

Square body, slotted center bolted tags

Pre arc (I2T)

75500

Mounting dimension

Other

Center-to-center distance of connections

170 mm

Current type

DC

Rated voltage DC

750 V

Color

None

Interrupt rating

Resources

Catalogs

Traction fuse-links

100 kAIC

Construction size

3

Packaging type

Standard

Voltage rating

750 V

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia