

Eaton L1520C

Catalog Number: L1520C

Eaton Arrow Hart ultra grip locking connector, #18-10 AWG, 20A, Industrial, 250V, Back wiring, Black, white, Ultra grip, L15-20, Three-pole, Four-wire, Nylon



General specifications

Product Name	Catalog Number
Eaton Arrow Hart standard locking connector	L1520C
	UPC
	032664392108
Product Length/Depth	Product Height
3.17 in	1.01 in
Product Width	Product Weight
1.67 in	0.24 lb
Compliances	Certifications
RoHS Compliant	UL Listed
	NOM
	CSA certified
	cULus Listed

Special features

Watertight locking receptacle

Type

Locking connector

Amperage Rating

20A

Voltage rating

3Ø 250 V

Contact material

Brass

Application

Industrial

Device grade

Commercial

Wiring method

Back

Number of wires

4

Grounding

Number Of Poles

Three-pole

Color

Black

White

Cord diameter

0.25-0.69 in (6.4 mm-17.5 mm)

Material

Thermoplastic

Operating temperature

-20 to 60 °C (-4 to 140 °F)

Allowable wire size

#16-12 AWG

NEMA configuration

L15-20

Torque rating

15 lbf-inch

Brochures

[Wiring Devices Buyer's Guide](#)

Multimedia

[Arrow Hart - Connecting Safety to Reliability since 1890](#)

Specifications and datasheets

[Eaton Specification Sheet - L1520C](#)

Design type

Standard locking connector

Face/body material

Thermoplastic



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



Eaton.com/socialmedia