

Eaton 46KB3

Catalog Number: 46KB3

Expulsion fuse-link, medium voltage, 3 A, AC 46 kV, 787 mm, ANSI, K fast, style B termination



General specifications

Product Name	Catalog Number
Eaton Bussmann series medium voltage expulsion fuse	46KB3
	UPC
	051712400756
EAN	Product Length/Depth
5027590480918	787 mm
Product Height	Product Width
19.1 mm	19.1 mm
Product Weight	Compliances
19.24 g	ANSI C37.42

Product specifications

Rated frequency - max

60 Hz

Interrupt rating

8 kAIC

Construction size

787 mm

Type of termination

Fixed buttonhead

Color

Yellow

Standard

ANSI

Release characteristic

K

Amperage Rating

3 A

Type

Medium Voltage Expulsion Fuse Link

Rated frequency - min

50 Hz

Current characteristic type

Type K - Complies with ANSI C 37-42 requirements for fast acting K Characteristics

Voltage rating

46 kV

Application

Primary side transformer protection, feeder protection, capacitor bank protection

Voltage type

AC

Resources

Technical service bulletins

Datasheet - 46KB3



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)