




Shown actual size:
Maestro dimmers
and 2-gang Claro
wallplate in White (WH).

Product family features

- Can be used in conjunction with the following dimmer(s) and switch(es): Maestro®, Maestro IR®, Maestro Wireless®, Pico® wireless control, Diva®, Skylark Contour®, Skylark®
- All Lutron wallplates are screwless, seamless, and have no visible hardware; the front plate securely snaps into the alignment adapter plate
- Full line of wiring devices in Designer style opening
- Blank inserts available for Gloss colors (DV-BI-) and Satin Colors® (SC-BI-)
- Customize your designer wallplate with engraving. Contact customer service to get started; 1.888.LUTRON1

Ganging and derating

- Designer wallplates use standard ganging
- Requires fins to be removed from dimmers for proper spacing ("Fins Broken" ganging), see pg. 179
- May require derating (i.e., reduction of dimmer capacity due to fin removal), see Derating Tables, pg. 179

Available finishes

Use **BOLD** color code in model number (Example: SC-1-**PL**)

Gloss finishes



WH
White



LA
Light Almond



AL
Almond



IV
Ivory



GR
Gray



BR
Brown



BL
Black

Satin finishes



SW
Snow



LS
Limestone



BI
Biscuit



ES
Eggshell



PD
Palladium



TP
Taupe



ST
Stone



BG
Bluestone



PL
Plum



SG
Sea Glass



TQ
Turquoise



GS
Goldstone



DS
Desert Stone



GB
Greenbriar



MS
Mocha Stone



TC
Terracotta



SI
Sienna



HT
Hot



MR
Merlot



MN
Midnight



SS
Stainless Steel*

*Stainless Steel finish wallplates include black plastic trim/adaptor, visible from side. Match with separate Black (BL) or Midnight (MN) controls and accessories.

Wallplates for Maestro®, Maestro IR®, Maestro Wireless®, Pico® wireless control, Diva®, Skylark Contour® and Skylark®



1-gang*

CW-1-**XX**¹
SC-1-**XX**²


W: 2.94 in (75 mm); H: 4.69 in (119 mm)
P: .30 in (7.6 mm)



4-gang*

CW-4-**XX**¹
SC-4-**XX**²

W: 8.37 in (213 mm); H: 4.69 in (119 mm);
P: .30 in (7.6 mm)



2-gang*

CW-2-**XX**¹
SC-2-**XX**²

W: 4.75 in (121 mm); H: 4.69 in (119 mm);
P: .30 in (7.6 mm)



5-gang*

CW-5-**XX**¹
SC-5-**XX**²

W: 10.18 in (259 mm); H: 4.69 in (119 mm);
P: .30 in (7.6 mm)



3-gang*

CW-3-**XX**¹
SC-3-**XX**²

W: 6.56 in (167 mm); H: 4.69 in (119 mm);
P: .30 in (7.6 mm)

Important notes

- Multiple devices with line and low-voltage can be mounted behind a common wallplate using a standard barrier backbox. See Application Note #213 (Combining Low-Voltage and Line Voltage Wiring Devices in a Multi-Gang Box) at www.lutron.com/applicationnotes.

XX¹: Gloss and Stainless Steel color codes, see pg. 170

XX²: Satin Colors® codes, see pg. 170


Multi-gang dimmer installations may require derating, see pg. 179.

*Stainless Steel finish wallplates include black plastic trim/adaptor, visible from side. Match with separate Black (BL) or Midnight (MN) controls and accessories.

Mounting requirements and how to understand ganging and derating

Individual devices

Individual dimmers, switches, wall sensors, and accessories typically mount in standard 1-gang electrical boxes (**fig. A**).




1-gang box
(W: 2 in x H: 3 in x D: 2.5 in)

Standard ganging


Ganging is the side-by-side mounting of two or more dimmers or accessory devices under a multi-gang wallplate. (**fig. B-D**)

Standard multi-gang installation:


- Uses standard multi-gang electrical backboxes
- Uses standard multi-gang wallplates
- Requires fins to be removed from dimmers for proper spacing (“Fins Broken” ganging)
- May require derating (i.e., reduction of dimmer capacity due to fin removal); see derating tables, pg. 181



2-gang box
(W: 4 in x H: 3 in x D: 2.5 in)



3-gang box
(W: 6 in x H: 3 in x D: 2.5 in)




4-gang box
(W: 8 in x H: 3 in x D: 2.5 in)

Custom Architectural ganging

Architectural dimmers, switches and accessories may be ganged without derating (**fig. E**), via custom Architectural multi-gang:


- May require customized, wider-than-standard wallplates
- May require wider-than-standard electrical backboxes
- Allows full capacity (“No Fins Broken”) ganging
- Required for Nova® dimmers and for larger width (high capacity) architectural controls
- Visit www.lutron.com/customganging for additional information



(2) 1-gang boxes
with 3/4 in spacer

Light load power interfaces (pg. 185)


Interfaces typically mount to a standard electrical junction box (**fig. F**); must be mounted within 7 degrees of vertical. Maximum output: 5.1 in x 6.3 in. Interfaces project 1.2 in in front of box.



Junction box
(W: 4 in x H: 4 in x D: 2.5 in)

Ceiling/wall mount sensors (pgs. 43 and 147)

Wireless ceiling mount Radio Powr Savr™ sensors (**fig. G**) mount to brackets provided with sensor using adhesive strips or mounting hardware provided.




Wireless sensor
mounting bracket
(3.2 in diameter footprint,
mounting brackets are
spaced 1.8 in)

How to use this section

The visual index provides an alphabetical summary of each control family, with available models and model numbers.

Lutron wallbox products have a pre-assigned model number. Each group of letters or numbers represents basic product information.

Example: Visual Index Entry



Nova T ☆
Fluorescent
1000 Watt
3-way
Preset
277 Volt
White

Example:
Deconstructing a Model Number

Load Type

All other letters before the hyphen represent the load type. If there is no other lettering, the dimmer is incandescent.

- LV** Magnetic Low Voltage
- ELV** Electronic Low Voltage
- F** Fluorescent
- FS** Fan Speed
- Q** Quiet Fan Speed
- AD** Accessory Dimmer
- AS** Accessory Switch
- L** Light
- R** Remote
- TU** Tu-wire
- CL** Screwbase and dimmable CFL/LED


NT

F

Product Family

The first letters of the model number represent the product family.

- | | | | |
|-------------|----------------------|--------------|------------------------|
| MA | Maestro | GL | Glyder |
| MIR | Maestro IR | FS | Rotary Fan Control |
| MRF2 | Maestro Wireless | D | Rotary |
| MSC | Maestro Satin Colors | VT | Vierti |
| MAW | Maestro Duo | V | Vareo |
| DV | Diva | NT | Nova T ☆ |
| DVW | Diva Duo | N | Nova |
| DVSC | Diva Satin Colors | C | Centurion |
| CT | Skylark Contour | FW/FG | Fassada |
| S | Skylark | TT | Credenza |
| CW | Claro Wallplate | LC | Attaché |
| CA | Claro Accessory | SC | Satin Colors Accessory |
| AY | Ariadni | | |



*Some colors not available with certain families. Consult family pages or contact customer service.