

Current-Carrying Hoses



Standard

CH620

This deluxe Direct-Connect hose plugs directly into high and low-voltage current. Ergonomic handle provides the ultimate in comfort and control. Features easy to adjust vacuum air release, 3-position on-off switch and vinyl over wire, reinforced with polyester cord for durability. Available in dark gray.

- Recommended for use with NuTone CI358, CI390 and CI395 series electrified inlets
- Use with NuTone CT700 Deluxe Electric Power Brush
- UL approved

CH520

This deluxe Current-Carrying hose includes a 6 ft. line cord. Features ergonomic handle for the ultimate in control and comfort and fingertip control of entire system – vacuum and optional power brush. Easy to adjust vacuum air release, 3-position on-off switch and vinyl over wire, reinforced with polyester cord for durability. Available in dark gray.

- For use with NuTone CT700 Deluxe Electric Power Brush
- Includes patent pending Universal hose end which fits all NuTone and most other standard inlets
- UL approved

Lightweight, Crushproof

CH615

This lightweight, Current-Carrying Direct-Connect hose springs back to retain original shape. Features a 3-position on-off switch. Available in dark gray.

- Recommended for use with NuTone CI358, CI390 and CI395 series electrified inlets
- For use with NuTone CT700 Deluxe Electric Power Brush
- UL approved

CH515

This lightweight, Current-Carrying corded hose springs back to retain original shape. Features a 3-position on-off switch and 6 ft. line cord. Available in dark gray.

- For use with NuTone CT700 Deluxe Electric Power Brush
- Includes patent pending Universal hose end which fits all NuTone and most other standard inlets
- UL approved

Hose Accessories



CA130

A hose sock can help prevent scratching corners of walls and marking furniture as you move from room to room while vacuuming.



Hose Selection Chart

Model No.	Description	Hose Length	Inside Diameter	Power Head Switch	Power Unit Switch	Color
372	Low Voltage Standard Hose	32'	1-1/4"	No	No	Dark Gray
CH230	Low Voltage Standard Hose	30'	1-3/8"	No	Yes	Dark Gray
CH230L	Low Voltage Standard Hose	42'	1-3/8"	No	Yes	Dark Gray
CH520	Deluxe Current-Carrying Hose	30'	1-3/8"	Yes	Yes	Dark Gray
CH620	Deluxe Direct-Connect Hose	30'	1-3/8"	Yes	Yes	Dark Gray
CH235	Crushproof Low Voltage Hose	30'	1-3/8"	No	Yes	Dark Gray
CH515	Current-Carrying Crushproof Hose w/Status Indicator Light	30'	1-1/4"	Yes	Yes	Dark Gray
CH615	Direct-Connect Crushproof Hose w/Status Indicator Light	30'	1-1/4"	Yes	Yes	Dark Gray

Hose Accessories

Model No.	Description	Hose Length	Inside Diameter	Color
CA130	Hose Sock	30' – 32'	1" & 1-3/8" dia. Hoses	Gray

Electrified Direct Connect Inlets



Electrified Inlets make it a simple one-step operation to plug in a Current-Carrying hose – no 120V extension cord to carry around. Compatible with NuTone CH615 and CH620 hoses.

CI390 Standard and CI395 Status Indicating

The ElectraValve® Electrified Inlet operates on standard house wiring. It eliminates the need for the extension of electrical cords from the inlet to an electrical outlet. The molded power receptacle clips to a mounting plate and the housing wire is run to the nearest outlet box.

- UL listed Assembly
- Standard:
 - CI390W** – White
 - CI390V** – Ivory
- Status Indicating:
 - CI395W** – White
 - CI395V** – Ivory

CI395RK Rough-In Kit

The Electrified Inlet Rough-In Kit includes everything you need to install the CI390 and CI395 inlets. Includes mounting plate, snap-in power receptacle, 6' of 12-gauge cable assembly, plaster guard, CF382S elbow and mounting screws for plaster guard.

CI358 Supervalves

The Supervalve Electrified Inlet operates on standard house wiring. Includes wall valve, rough-in plate with junction box and strain relief.

- UL listed assembly
- CI358W** – White
- CI358IV** – Ivory

HOW TO CHOOSE:

		Inlet Type							
Hose Type	Current Carrying	CI390	CI395	CI358	CI370	CI335	360	330	CI398
		CH620	•	•	•				
		*CH520			•	•	•	•	•
		CH615	•	•					
		*CH515			•	•	•	•	•
	Low Voltage	372			◦	◦	◦	◦	◦
		CH235			◦	◦	◦	◦	◦
		CH230			◦	◦	◦	◦	◦

* Includes 6 ft. line cord ◦ Limited Function (suction only/non-powered)
 • Full Function