

Product number	Full product name	Base	Bulb	Bulb Material	Bulb Finish	Reflector Finish	Operating Position	Main Application	RatedAvg-Life(See Family Notes)	Rated Avg. Life @ 120v	Life with 3h/day use [years]
430421	EcoVantage 70W PAR38 DiOptic FL 25D CL 2CT	Medium	PAR38	Hard Glass	Clear	Aluminized	Universal	Outdoor	4200 hr	-	3.8 an
428847	EcoVantage 39W 120V PAR38 FL 25D	Medium Skirted	PAR38	Hard Glass	Clear	Aluminized	Universal	Outdoor	1100 hr	-	-
428862	EcoVantage 39W 120V PAR38 SP 10D	Medium Skirted	PAR38	Hard Glass	Clear	Aluminized	Universal	Outdoor	1100 hr	-	-
428854	EcoVantage 53W 120V PAR38 FL 25D	Medium Skirted	PAR38	Hard Glass	Clear	Aluminized	Universal	Outdoor	1100 hr	-	-
428896	EcoVantage 53W 120V PAR38 SP 10D	Medium Skirted	PAR38	Hard Glass	Clear	Aluminized	Universal	Outdoor	1100 hr	-	-
428938	EcoVantage 72W 120V PAR38 FL 25D	Medium Skirted	PAR38	Hard Glass	Clear	Aluminized	Universal	Outdoor	1100 hr	-	-
428946	EcoVantage 72W PAR38 SP 10D	Medium Skirted	PAR38	Hard Glass	Clear	Aluminized	Universal	Outdoor	1100 hr	-	-
425124	EcoVantage 39W PAR20 SP 10D	Medium	PAR20	Hard Glass	Clear	Aluminized	Universal	Track, Downlighting & Outdoor	1100 hr	-	-
428920	EcoVantage 53W 120V PAR30L FL 25D	Medium	PAR30L	Hard Glass	Clear	Aluminized	Universal	Indoor Reflector	1100 hr	1100 hr	-
429365	EcoVantage 53W PAR30L FL 25D CL 2CT	Medium	PAR30L	Hard Glass	Clear	Aluminized	Universal	Indoor Reflector	1100 hr	1100 hr	-
428952	EcoVantage 53W PAR30L WFL 40D	Medium	PAR30L	Hard Glass	Clear	Aluminized	Universal	Indoor Reflector	1100 hr	-	2.7 an
428870	EcoVantage 39W 120V FL 25D	Medium	PAR30L	Hard Glass	Clear	Aluminized	Universal	Track, Downlighting & Outdoor	1100 hr	-	-
428960	EcoVantage 39W PAR30S FL 25D	Medium	PAR30S	Hard Glass	Clear	Aluminized	Universal	Track, Downlighting & Outdoor	1100 hr	-	2.7 an
428904	EcoVantage 53W 120V PAR30S FL 25D	Medium	PAR30S	Hard Glass	Clear	Aluminized	Universal	Indoor Reflector	1100 hr	1100 hr	-
428912	EcoVantage 39W 120V PAR30S SP 10D	Medium	PAR30S	Hard Glass	Clear	Aluminized	Universal	Track, Downlighting & Outdoor	1100 hr	-	2.7 an
428888	EcoVantage 53W 120V PAR30S SP 10D	Medium	PAR30S	Hard Glass	Clear	Aluminized	Universal	Indoor Reflector	1100 hr	-	2.7 an
428986	EcoVantage 53W PAR30S WFL 40D	Medium	PAR30S	Hard Glass	Clear	Aluminized	Universal	Indoor Reflector	1100 hr	1100 hr	-

General Characteristics (2/2)


Product number	Full product name	Estimated Energy Cost/YR
419176	EcoVantage 25W 120V BA9 CL 2BC	-
419184	EcoVantage 40W 120V BA9 CL 2BC	-
424259	EcoVantage 25W Med 120V BA11 CL 2BC	-
424267	EcoVantage 40W B11 CL 2BC	-
420869	EcoVantage 25W 120V G16.5 CL	-
420844	EcoVantage 40W 120V G25 CL	-
424275	EcoVantage 25W Med 120V B11 CL 2BC	-
424283	EcoVantage 40W BA11 CL 2BC	-
420851	EcoVantage 40W 120V G25 WH	-
420877	EcoVantage 25W 120V G16.5 WH	-

Product number	Full product name	Estimated Energy Cost/YR
423855	EcoVantage 72W F15 CL	-
410506	EcoVantage 29W 120V A19 CL 2CT	-
410498	EcoVantage 43W 120V A19 CL 2CT	-
426007	EcoVantage 29W 120V A19 4SL	-
409847	EcoVantage 43W 120V A19 2CC	-
426031	EcoVantage 43W 120V A19 4SL	-
409821	EcoVantage 72W 120V A19 2CT	-
426049	EcoVantage 72W 120V A19 4SL	-
226951	43W 120V A19 D-BEV 2CT	-
226993	72W 120V A19 D-BEV 2CT	-


Product number	Full product name	Estimated Energy Cost/YR
433565	EcoVantage 40W G16.5 CL 2BC	-
433573	EcoVantage 40W 120V G16.5 WH 2BC	-
433912	EcoVantage 29W A19 SWR 2CT	-
433904	EcoVantage 43W A19 SWR	-
433896	EcoVantage 72W 120V SWR	-
433888	EcoVantage 53W A19 SWR 2CT	-
434324	EcoVantage 53W Med 120V A19 SWR 4SL	6.38 \$
430421	EcoVantage 70W PAR38 DiOptic FL 25D CL 2CT	8.43 \$
428847	EcoVantage 39W 120V PAR38 FL 25D	-
428862	EcoVantage 39W 120V PAR38 SP 10D	-
428854	EcoVantage 53W 120V PAR38 FL 25D	-
428896	EcoVantage 53W 120V PAR38 SP 10D	-
428938	EcoVantage 72W 120V PAR38 FL 25D	-

Product number	Full product name	Estimated Energy Cost/YR
428946	EcoVantage 72W PAR38 SP 10D	-
425124	EcoVantage 39W PAR20 SP 10D	6.02 \$
428920	EcoVantage 53W 120V PAR30L FL 25D	-
429365	EcoVantage 53W PAR30L FL 25D CL 2CT	-
428952	EcoVantage 53W PAR30L WFL 40D	6.02 \$
428870	EcoVantage 39W 120V FL 25D	-
428960	EcoVantage 39W PAR30S FL 25D	6.02 \$
428904	EcoVantage 53W 120V PAR30S FL 25D	-
428912	EcoVantage 39W 120V PAR30S SP 10D	6.02 \$
428888	EcoVantage 53W 120V PAR30S SP 10D	6.02 \$
428986	EcoVantage 53W PAR30S WFL 40D	-


Installation diagrams




E26



E12



E26/50x39



any

Light Technical Characteristics

Product number	Full product name	Beam Description	Approx. MBCP	Color Rendering Index	Color Temperature	Initial lumen	Initial Lumens @ 120V
419176	EcoVantage 25W 120V BA9 CL 2BC	-	-	100 Ra8	2800 K	280 Lm	-
419184	EcoVantage 40W 120V BA9 CL 2BC	-	-	100 Ra8	2800 K	540 Lm	-
424259	EcoVantage 25W Med 120V BA11 CL 2BC	-	-	-	2700 K	280 Lm	-
424267	EcoVantage 40W B11 CL 2BC	-	-	-	2800 K	540 Lm	-
420869	EcoVantage 25W 120V G16.5 CL	-	-	95 Ra8	2700 K	280 Lm	-
420844	EcoVantage 40W 120V G25 CL	-	-	95 Ra8	2800 K	550 Lm	-
424275	EcoVantage 25W Med 120V B11 CL 2BC	-	-	-	2700 K	280 Lm	-
424283	EcoVantage 40W BA11 CL 2BC	-	-	-	2800 K	540 Lm	-
420851	EcoVantage 40W 120V G25 WH	-	-	95 Ra8	2800 K	500 Lm	-
420877	EcoVantage 25W 120V G16.5 WH	-	-	95 Ra8	2700 K	252 Lm	-
423855	EcoVantage 72W F15 CL	-	-	100 Ra8	2900 K	1490 Lm	-
410506	EcoVantage 29W 120V A19 CL 2CT	-	-	-	-	-	380 Lm
410498	EcoVantage 43W 120V A19 CL 2CT	-	-	-	-	-	750 Lm
426007	EcoVantage 29W 120V A19 4SL	-	-	-	-	-	380 Lm
409847	EcoVantage 43W 120V A19 2CC	-	-	-	-	-	750 Lm
426031	EcoVantage 43W 120V A19 4SL	-	-	-	-	-	750 Lm
409821	EcoVantage 72W 120V A19 2CT	-	-	-	-	-	1490 Lm
426049	EcoVantage 72W 120V A19 4SL	-	-	-	-	-	1490 Lm
226951	43W 120V A19 D-BEV 2CT	-	-	100 Ra8	-	630 Lm	-
226993	72W 120V A19 D-BEV 2CT	-	-	100 Ra8	-	1200 Lm	-
433565	EcoVantage 40W G16.5 CL 2BC	-	-	100 Ra8	2800 K	540 Lm	540 Lm
433573	EcoVantage 40W 120V G16.5 WH 2BC	-	-	100 Ra8	2800 K	500 Lm	500 Lm
433912	EcoVantage 29W A19 SWR 2CT	-	-	100 Ra8	-	335 Lm	335 Lm
433904	EcoVantage 43W A19 SWR	-	-	100 Ra8	-	640 Lm	640 Lm
433896	EcoVantage 72W 120V SWR	-	-	100 Ra8	-	1210 Lm	1210 Lm
433888	EcoVantage 53W A19 SWR 2CT	-	-	100 Ra8	-	840 Lm	840 Lm
434324	EcoVantage 53W Med 120V A19 SWR 4SL	-	-	100 Ra8	2840 K	850 Lm	850 Lm
430421	EcoVantage 70W PAR38 DiOptic FL 25D CL 2CT	Flood	-	100 Ra8	2820 (nom), 2860 (max) K	1415 Lm	-
428847	EcoVantage 39W 120V PAR38 FL 25D	Flood	2000 cd	100 Ra8	2900 K	570 Lm	-
428862	EcoVantage 39W 120V PAR38 SP 10D	Spot	2000 cd	100 Ra8	2900 K	570 Lm	-
428854	EcoVantage 53W 120V PAR38 FL 25D	Flood	2000 cd	100 Ra8	2900 K	920 Lm	-
428896	EcoVantage 53W 120V PAR38 SP 10D	Spot	2000 cd	100 Ra8	2900 K	920 Lm	-
428938	EcoVantage 72W 120V PAR38 FL 25D	Flood	2000 cd	100 Ra8	2900 K	1350 Lm	-
428946	EcoVantage 72W PAR38 SP 10D	Spot	2000 cd	100 Ra8	2900 K	1350 Lm	-
425124	EcoVantage 39W PAR20 SP 10D	Spot	4150 cd	100 Ra8	2900 K	500 Lm	-
428920	EcoVantage 53W 120V PAR30L FL 25D	Flood	-	100 Ra8	2900 K	920 Lm	920 Lm
429365	EcoVantage 53W PAR30L FL 25D CL 2CT	Flood	-	100 Ra8	2900 K	920 Lm	920 Lm
428952	EcoVantage 53W PAR30L WFL 40D	Wide Flood	950 cd	100 Ra8	2790 K	920 Lm	-
428870	EcoVantage 39W 120V FL 25D	Flood	2350 cd	100 Ra8	2900 K	520 Lm	-
428960	EcoVantage 39W PAR30S FL 25D	Flood	2250 cd	100 Ra8	2790 K	530 Lm	-
428904	EcoVantage 53W 120V PAR30S FL 25D	Flood	-	100 Ra8	2900 K	920 Lm	920 Lm
428912	EcoVantage 39W 120V PAR30S SP 10D	Spot	2250 cd	100 Ra8	2790 K	530 Lm	-
428888	EcoVantage 53W 120V PAR30S SP 10D	Spot	6600 cd	100 Ra8	2790 K	-	-
428986	EcoVantage 53W PAR30S WFL 40D	Wide Flood	-	100 Ra8	2900 K	920 Lm	920 Lm

Electrical Characteristics

Product number	Full product name	Watts	Voltage
419176	EcoVantage 25W 120V BA9 CL 2BC	25 W	120 V
419184	EcoVantage 40W 120V BA9 CL 2BC	40 W	120 V
424259	EcoVantage 25W Med 120V BA11 CL 2BC	25 W	120 V
424267	EcoVantage 40W B11 CL 2BC	40 W	120 V
420869	EcoVantage 25W 120V G16.5 CL	25 W	120 V
420844	EcoVantage 40W 120V G25 CL	40 W	120 V
424275	EcoVantage 25W Med 120V B11 CL 2BC	25 W	120 V
424283	EcoVantage 40W BA11 CL 2BC	40 W	120 V
420851	EcoVantage 40W 120V G25 WH	40 W	120 V
420877	EcoVantage 25W 120V G16.5 WH	25 W	120 V
423855	EcoVantage 72W F15 CL	72 W	120 V
410506	EcoVantage 29W 120V A19 CL 2CT	29 W	120 V
410498	EcoVantage 43W 120V A19 CL 2CT	43 W	120 V
426007	EcoVantage 29W 120V A19 4SL	29 W	120 V
409847	EcoVantage 43W 120V A19 2CC	43 W	120 V
426031	EcoVantage 43W 120V A19 4SL	43 W	120 V
409821	EcoVantage 72W 120V A19 2CT	72 W	120 V
426049	EcoVantage 72W 120V A19 4SL	72 W	120 V
226951	43W 120V A19 D-BEV 2CT	43 W	120 V
226993	72W 120V A19 D-BEV 2CT	72 W	120 V
433565	EcoVantage 40W G16.5 CL 2BC	40 W	120 V
433573	EcoVantage 40W 120V G16.5 WH 2BC	40 W	120 V
433912	EcoVantage 29W A19 SWR 2CT	29 W	120 V

Product number	Full product name	Watts	Voltage
433904	EcoVantage 43W A19 SWR	43 W	120 V
433896	EcoVantage 72W 120V SWR	72 W	120 V
433888	EcoVantage 53W A19 SWR 2CT	53 W	120 V
434324	EcoVantage 53W Med 120V A19 SWR 4SL	53 W	120 V
430421	EcoVantage 70W PAR38 DiOptic FL 25D CL 2CT	70 W	120 V
428847	EcoVantage 39W 120V PAR38 FL 25D	39 W	120 V
428862	EcoVantage 39W 120V PAR38 SP 10D	39 W	120 V
428854	EcoVantage 53W 120V PAR38 FL 25D	53 W	120 V
428896	EcoVantage 53W 120V PAR38 SP 10D	53 W	120 V
428938	EcoVantage 72W 120V PAR38 FL 25D	72 W	120 V
428946	EcoVantage 72W PAR38 SP 10D	72 W	120 V
425124	EcoVantage 39W PAR20 SP 10D	39 W	120 V
428920	EcoVantage 53W 120V PAR30L FL 25D	53 W	120 V
429365	EcoVantage 53W PAR30L FL 25D CL 2CT	53 W	120 V
428952	EcoVantage 53W PAR30L WFL 40D	53 W	120 V
428870	EcoVantage 39W 120V FL 25D	39 W	120 V
428960	EcoVantage 39W PAR30S FL 25D	39 W	120 V
428904	EcoVantage 53W 120V PAR30S FL 25D	53 W	120 V
428912	EcoVantage 39W 120V PAR30S SP 10D	39 W	120 V
428888	EcoVantage 53W 120V PAR30S SP 10D	53 W	120 V
428986	EcoVantage 53W PAR30S WFL 40D	53 W	120 V



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, October 10
data subject to change