




Connecting cable Length 0.025 m, flat, for connection of basic unit with extension modules via the system interface

| General technical data |                      |
|------------------------|----------------------|
| product brand name     | SIRIUS               |
| product designation    | connecting cable     |
| design of the product  | Length 0.025 m, flat |
| ambient temperature    |                      |
| • during storage       | -40 ... +80 °C       |
| • during operation     | -25 ... +60 °C       |
| • during transport     | -40 ... +80 °C       |

| Certificates/ approvals  |     |                           |                   |
|--------------------------|-----|---------------------------|-------------------|
| General Product Approval | EMC | Declaration of Conformity | Test Certificates |



[Type Test Certificates/Test Report](#)

|                   |       |
|-------------------|-------|
| Shipping Approval | other |
|-------------------|-------|



[Confirmation](#)

[PROFINET-Certification](#)

|       |
|-------|
| other |
|-------|



| Further information |
|---------------------|
|---------------------|

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3UF7930-0AA00-0>

Cax online generator

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3UF7930-0AA00-0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3UF7930-0AA00-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3UF7930-0AA00-0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3UF7930-0AA00-0&lang=en)

